<u>Barbus paytonii</u>			I	Region: 1			
Taxonomic Authority: (Boulenger, 1911)							
Synonyms:			Common Names:				
Order: Cyprinifor	mes			Family: Cy	prinidae		
	The taxonomy of bathis group in this co		s still un	certain and mor	e work is n	eeded before a definitive ta	axonomy is set for
General Information	<u>n</u>						
Biome		Terrestrial	✓ Free	eshwater	N	Marine	
Geographic Range of sp It is restricted to the Oum been found in this river in pers com).	Er Rbia river in Mor		/e l	Habitat and Eco No data.	ology Infor	mation:	
Conservation Measures:				Threats:			
			Agricultural pollution is affecting the species in the lower reaches of the river (Azeroual, A. pers comm).				
Species population info No data.	rmation:			iivei (Azerouai, 7	A. pers con		
Country Distributio	Pre	ative - Native - esence Presence nfirmed Possible	Extino	ct Reintroduced	Introduc	ed Vagrant	
Morocco	<u></u>						
Upper Level Habita	at Preferences		Score	l ower l eve	l Habita	t Preferences	Score
5.1 Wetlands (inland) - (includes waterfalls	Permanent Rivers/	Streams/Creeks	1			<u></u>	
Major threats				Conservatio	on Meas	ures	
Code Description of t	hreat	Past Present	Future	Code Conser			In place Needed
•	ng habitat and/or sp	ecies) 🗸 🗸	$\checkmark$		ch actions		
6.3 Water pollution				3.1 Taxonoi	my		
6.3.1 Agriculture III III IIII IIII IIIIIIIIIIIIIIIIII							
				3.3 Biology	and Ecolog	ду	
				3.4 Habitat	status		
				3.5 Threats			
					ation mea	sures	
				3.9 Trends/	Monitoring		
Utilisation of Species							
Purpose/Type of Use		Subsistend	e N	lational Inter	national	<i>Other purpose:</i> Not used	
Primary forms removed	I from the wild	100% >75%	6 51-	-75% 26-50%	<25%	Other forms removed fr	om the wild:
Source of specimens in	n commercial trade	e 100% >759	% 51	-75% 26-50%	<25%	Other source of specim	ens:
Trend in wild offtake/ha	arvest in relation to	total wild population	on numl	oers over last fi	ve years:		
Trend in offtake/harves CITES:	t produced throug	h domestication/cul	tivation	over last five y	ears:		
Red Listing							
Red List Assessment:	Vulnerable (VU)			Possibly E	Extinct		
Red List Criteria: B2a	ab(iii)						
Rationale for the Red List Assessment: The AOO of B. paytoni in the Oum er Rbia river is estimated to be 1,200km2 (<2,000km2). Agricultural pollution is having a negative impact upon the species habitat in the lower reaches of the river. This species occurs in less than 10 locations (with the lower river being one location due to the nature of the threat).							
Current Population Tre	nd: Unknown			Date of Assess	sment:	31/10/2004	
Assessor(s): A.J. Criv	velli						
Evaluator: A. Azero	bual						
Notes on Red listing:							

## **Bibliography**

Azeroual, A., 2003, , , Monographie des poissons des eaux continentales du Maroc: systématique, distribution et ecologie., , , , PhD , University Mohammed V, Rabat, Morocco

Azeroual, A;, Crivelli, A.J., Yahyaoui, A. & Dakki, M., 2000, L'ichtyofaune des eaux continentales du Maroc., Cybium, , , 24 (Suppl), 17-22, ,