Capoeta antalyensis				Region: 1						
Taxonomic Authority: (Battalgil, 1943) Synonyms:				Common Names:						
Synonyms.				Common Names.						
Order: Cypriniformes				Family:	Сург	rinidae				
Notes on taxonomy:										
General Information										
Biome	Terrest	rial	✓ F	reshwate	r		larine			
Geographic Range of species:				Habitat and Ecology Information:						
It is restricted to southwest Turkey (Aksu	and Kopru s	treams).		Riverine	e species.					
Conservation Measures:			Threats:							
None known to be in place.				Dams a streams		ed range a	are the main threats (re	stricted to two		
Species population information:				ou ourre						
No data										
	Native -	Native	-						<u> </u>	
Presei		Presenc Possibl		nct Reir	troduced	Introduce	ed Vagrant			
Country Distribution	Confirmed	_	-	=						
Turkey	\checkmark		L							
Upper Level Habitat Preference	<u>ces</u>		Score	Lowe	er Level	Habitat	Preferences		Score	
5.1 Wetlands (inland) - Permanent Riv	ers/Streams	/Creeks	1							
(includes waterfalls)										
<u>Major threats</u>				Cons	ervatio	n Meası	ures			
Code Description of threat		Past Pres	entFuture	-	Conserva			In place	Needed	
1 Habitat Loss/Degradation (human induced)										
1.4 Infrastructure development										
1.4.2 Human settlement							•			
				✓ 3.4 Habitat status						
1.4.6 Dams										
				3.8 Conservation measures						
6.3 Water pollution				3.9	Trends/M	lonitoring				
7 Natural disasters										
7.1 Drought										
9 Intrinsic factors										
9.9 Restricted range										
Utilisation of Species										
Purpose/Type of Use		Subsiste	ence	National	Interna	ational	Other purpose:			
1. Food - human							Subsistence use only			
Primary forms removed from the wild 100			5% 5	1-75%	26-50%	<25%	Other forms remove	d from the wil	ld:	
Source of specimens in commercial trade 100		0% >	75% 5	51-75%	26-50%	<25%	Other source of spe	cimens:		
Trend in wild offtake/harvest in relation					er last fiv	e vears.	Unknown			
Trend in offtake/harvest produced thr						-	Unknown			
CITES: Not listed	ough donies	Silcation/	univanc	on over 12	ist live ye	ars.	UTIKIOWI			
Red Listing										
Red List Assessment: Vulnerable (VU)										
Red List Criteria: D2										
Rationale for the Red List Assessmen			iown only	from two	streams.	Its restrict	ted range makes it sus	ceptible to acti	vities in	
	the area	a.		D -1	£ A = -		44400004			
Current Population Trend: Unknow	n			Date c	of Assessi	nent:	14/12/2004			
Assessor(s): A.J. Crivelli										
Evaluator: A. Karatash, F. Erk'aka	n, M. Goren	& N. Bogu	tskaya							
Notes on Red listing: Previous Red I	List assessm	ent: DD (V	VCMC 19	96)						

<u>Bibliography</u>

Battalgil, F., 1943, Nopuveau poissons des eaux douces de la Turquie., Rev. Fac. Sci. Univ. Istanbul (Ser. B), , , 9, 126-133, ,

Erk'akan, F. and Kuru, M., 1983, Re-discussion of systematical status of Varicorhinus antalyensis Battalgil 1944, Hacettepe Bulletin of Natural Sciences and Engineering Annual Publication, , , 12, 48-64, ,