<u>Knip</u>	<u>owitschia ephesi</u>				Region	: 1				
Taxono	mic Authority: Ahnelt, 1995	5								
Synony	ms:				Commo	on Names	:			
Order:	Perciformes				Family:	Gob	iidae			
Notes o	on taxonomy:				2					
Gener	al Information									
Biome		Terrestr	rial	✓ Fr	eshwate	r	N	larine		
Geogra	phic Range of species:				Habitat	and Ecol	ogy Infor	mation:		
•	ecies is restricted to the delta a es River in western Anatolia, T		the Kucuk		Occurs water.	in a delta	(estuarine	system) and marshe	s. Enters bracki	sh
	vation Measures:				Threats	-				
None kn	own to be in place.					xtraction a es Delta.	and pollution	on, habitat destruction	n are common ii	n the
•	available.									
		Native - Presence	Native - Presence		ot Doin	traducad	Introduce	d)(agrapt		
Count	try Distribution	Confirmed	Possible		ict Rein	troduced	Introduce	ed Vagrant		
Turkey	i y Distribution				1					
,		V								
	r Level Habitat Prefere			Score	Lowe	er Level	Habitat	Preferences		Score
	/etlands (inland) - Permanent F ncludes waterfalls)	Rivers/Streams/	/Creeks	1						
Major	r threats				Cons	ervatio	n Meası	ures		
Code	Description of threat	I	Past Prese	nt Future	Code	Conserva	ation mea	sures	In place	Needed
1	Habitat Loss/Degradation (hu	man induced)	 ✓ ✓ 		1	Policy-ba	sed actior	IS		\checkmark
1.3	Extraction		v		1.2	Legislatic	n			\checkmark
1.3.6	Groundwater extraction		v		1.2.1	Developm	nent			\checkmark
1.4	Infrastructure development		✓ ✓		1.2.1.1	Internatio	nal level			\checkmark
1.4.7	Telecommunications		 		1.2.2	Implemer	ntation			\checkmark
6	Pollution (affecting habitat an	d/or species)			1.2.2.1	Internatio	nal level			\checkmark
6.3	Water pollution				3	Research	n actions		\checkmark	\checkmark
6.3.1	Agriculture				3.1	Taxonom	•			
6.3.2	Domestic				3.2			s and range		
7	Natural disasters				3.3	•••	nd Ecolog	IУ		
7.1	Drought				3.4	Habitat st	tatus			
9	Intrinsic factors				3.5	Threats	ation meas			
9.1 9.9	Limited dispersal Restricted range				3.8 3.9	Trends/M		sures		
	tion of Species				0.0					
	se/Type of Use		Subsister	nce	National	Interna	ational	<i>Other purpose:</i> Not used		
Primar	y forms removed from the w	ild 100)% >7	5% 51	1-75%	26-50%	<25%	Other forms remov	ved from the wi	ild:
Source	e of specimens in commercia	Il trade 100)% >7	5% 5 [,]	1-75%	26-50%	<25%	Other source of sp	ecimens:	
Trend i	in wild offtake/harvest in rela	tion to total w	ild populat	tion num	bers ov	er last fiv	e vears:			
	in offtake/harvest produced t		• •				•			
CITES:	•									
Red L	<u>_isting</u>									
Red Lis	st Assessment: Critically E	ndangered (CR	ł)		P	ossibly Ex	tinct			
Red Lis	st Criteria: B1ab(iii)									
Ration	ale for the Red List Assessm							lta, although more da		
		only fro		tion and	the habit	at is threa	tened by p	nt known range is less pollution, water extrac		
Curren	t Population Trend: Unkn					f Assessi		15/12/2004		
Assess	•				0					
Evalua		atash								
		10011								
NOLES C	on Red listing:									

Bibliography

Ahnelt, H., 1995, Two new species of Knipowitschia Iljin, 1927 (Teleostei: Gobiidae) from western Anatolia., Mitt. Hamb. Zool. Mus. Inst., , , 92, 155-168, ,