Salmo carpio Taxonomic Authority: Linnaeus, 1758				ا	Region:	1					
Synonyms:					Common Names:						
Order: Salmoniformes					Family:	Salm	onidae				
Notes on taxonomy:											
General Information											
Biome	Terresti	rial	[✓ Fre	eshwate	r		1arine			
Geographic Range of species:					Habitat	and Ecolo	gy Infor	mation:			
It is restricted to Garda lake in northern Ita into numerous lakes in Italy and other cour	•	en intro	duced			custrine sp		has two spawning	seasons: one in w	inter	
Conservation Measures:	illies.				Threats		١.				
None.							ction of	nabitat and water	pollution (past thre	ats).	
					Introduc	ed species	(Corego	onus spp).			
Species population information: Decreasing.											
	Native -	Nativ	/A -								
	Presence	Prese		Extino	ct Rein	troduced	Introduc	ed Vagrant			
Country Distribution Confirmed		Poss	ible								
Italy	\checkmark						✓				
Upper Level Habitat Preference	25		Sc	ore	Lowe	r I evel l	Habita	Preferences		Score	
5.5 Wetlands (inland) - Permanent Fres		es (over	8ha)	1			100110				
Major threats						<u>ervation</u>					
Code Description of threat		Past Pr		_		Conserva		asures	•	Needed	
1 Habitat Loss/Degradation (humar1.3 Extraction	i induced)	✓	✓	✓	3 3.1	Research			✓	✓	
				✓	3.1 Taxonomy3.2 Population numbers and range					✓	
1.3.2.2 Artisinal/small-scale		✓	✓	✓	3.3	Biology an		-	■		
2 Invasive alien species (directly af	fecting the	✓	✓	✓	3.4	Habitat sta	atus	-	✓		
species)		✓	~		3.5	Threats			~		
·	Competitors Harvesting (hunting/gathering)			✓	3.8 Conservation measures					\checkmark	
3.1 Food		✓	✓	✓	3.9	Trends/Mo	•	iono		✓	
3.1.1 Subsistence use/local trade	_			✓	5 5.1	Species-b Re-introdu		✓			
3.1.2 Sub-national/national trade		✓	✓	✓	5.3	Sustainable use					
6 Pollution (affecting habitat and/or species)		✓				Harvest m		✓			
6.3 Water pollution		✓									
9 Intrinsic factors9.1 Limited dispersal		✓	✓	✓							
9.9 Restricted range		✓	V	✓							
Utilisation of Species		Cubai	stence		lational	Interna	tional	Other murmose			
Purpose/Type of Use 1. Food - human		Jubsis		r	National ✓	interna	,	Other purpose: From 20-30 tonn	nes in the fifties to 5	5-10	
		<u> </u>	J		•		J	tonnes in the eig	hties		
Primary forms removed from the wild	100)%	>75%	51	-75%	26-50%	<25%	Other forms rea	moved from the w	ild:	
Source of specimens in commercial tra	ade 100)%	>75%	51	-75%	26-50%	<25%	Other source o	f specimens:		
Trend in wild offtake/harvest in relation to total wild population numl					bers ove	er last five	years:	Unkno	wn		
Trend in offtake/harvest produced thro	ugh domes	sticatio	n/cultiv	vation	over la	st five yea	rs:	Unkno	wn		
CITES: Not listed											
Red Listing											
Red List Assessment: Critically Enda	ngered (CR	2)			□ P	ossibly Ext	inct				
Red List Criteria: A2bde											
Rationale for the Red List Assessment	than 80	% in the	past t	en yea	ars due t	to introduce	ed specie	es, overfishing and	s been reduced by d other unknown re		
		cline in t	his spe	ecies i		•		h data. (Crivelli, A	. pers comm).		
Current Population Trend: Decreasi	ng				Date o	f Assessm	ent:	31/10/2004			
Assessor(s): A.J. Crivelli											
Evaluator: J. Freyhof, B. Elvira											
Notes on Red listing:											

....

Bianco, P.G., 1995, Mediterranean endemic freshwater fishes of Italy., Biological Conservation, , , 72, 159-170, ,

Patarnello, T., Bargelloni, L., Caldara, F. & Colombo, L., 1994, Cytochrome b and 16S rRNA sequence variation in the Salmo trutta (Salmonidae, Teleostei) species complex., Molecular phylogenetics and evolution, , , 3, 69-74, ,

Melotto, S. & Alessio, G., 1990, Biology of carpione, Salmo carpio L., an endemic species of Lake Garda (Italy), J. Fish Biol., , , 37, 687-698, ,

Confortini, I, 1998, Evolution of fish community of the Lake Garda; Present and past situation., , Atts 6 Convegno A.I.I.A.D. Regione Liguria, Provincia Di La Spezia, , , 77-86, ,