Squalius peloponnensis	_			ı	Region	: 1					
Taxonomic Authority: Valenciennes, 1844 Synonyms:					Common Names:						
Synonyms.				,	Commi	JII INAIIIES.	•				
Order: Cypriniformes					Family:	Cypr	inidae				
Notes on taxonomy: Some author Squalius sva		cluded	d populat	tions fro	om west	tern Greec	e in this s	pecies, or as a differ	ent species relat	ed to	
General Information											
Biome	Terrest	rial		-	eshwate			larine			
Geographic Range of species: Restricted to streams and lakes of wes In Stymphalia lake the species is referr moreoticus (Barbieri pers comm). Conservation Measures: None				:	It lives i size chu Threats	ıb (< 220m ::	(preferend nm).	mation: ce) and in Lake Stym on, and drought.	phalia. It is a sm	nalll	
Species population information: Stable.								·			
Country Distribution	Native - Presence Confirmed	Pre	ative - sence ossible	Extino	ct Rein	itroduced	Introduce	ed Vagrant			
Greece	✓	[
Upper Level Habitat Preferer	nces		s	core	Lowe	r Level	Habitat	Preferences		Score	
5.1 Wetlands (inland) - Permanent R		/Cree	ks	1							
(includes waterfalls) 5.2 Wetlands (inland) - Seasonal/Inte Rivers/Streams/Creeks	ermittent/Irregu	ılar		1							
5.5 Wetlands (inland) - Permanent F	reshwater Lak	es (o\	ver 8ha)	2							
Major threats					Cons	ervation	n Meası	<u>ures</u>			
Code Description of threat			Present F		Code	Conserva			In place	Needed	
1 Habitat Loss/Degradation (hui	man induced)	✓	✓	✓	1	Policy-bas		ns		✓	
1.3 Extraction1.3.6 Groundwater extraction		✓	✓	✓	1.2 1.2.1	Legislatio Developm				✓	
6 Pollution (affecting habitat and	d/or species)	✓	✓	V		Internatio				✓	
6.3 Water pollution	2/ C. Opecico)	✓	V	V		National I				✓	
7 Natural disasters			V	<u></u>		Implemen				✓	
7.1 Drought			~	<u></u>	1.2.2.1	Internatio	nal level			<u></u>	
9 Intrinsic factors		✓	✓	✓	1.2.2.2	National I	evel			V	
9.1 Limited dispersal		✓	\checkmark	✓	3	Research	actions		~	<u></u>	
9.9 Restricted range		✓	✓	✓	3.1	Taxonom	y			✓	
					3.2	Populatio	n number	s and range		✓	
					3.3	Biology a	-	IY		✓	
					3.4	Habitat st	atus			✓	
					3.5	Threats	4:			✓	
					3.8 3.9	Conserva Trends/M		sures		V	
					4		J	sed actions		✓	
					4.1	Maintena				✓	
Utilisation of Species											
Purpose/Type of Use		Sub	sistence	e N	lational	Interna	ational	Other purpose: Not used at all.			
Primary forms removed from the wild 100% >75%			>75%	51-	75% 26-50% <25% Other forms removed from the wild:					ild:	
Source of specimens in commercia	l trade 100	0%	>75%	51	-75%	26-50%	<25%	Other source of sp	ecimens:		
Trend in wild offtake/harvest in rela Trend in offtake/harvest produced to CITES:							-				
Red Listing Red List Assessment: Least Cond	cern (LC)				 □ P	ossibly Ex	tinct				
Red List Criteria: Rationale for the Red List Assessm	, ,	a wid	espread	species		o major wi		threats.			
Current Population Trend: Stable			,	,		of Assessr		31/10/2004			

Assessor(s): A.J. Crivelli

.......

Evaluator: Barbieri, R., Kottelat, M. & Bianco, G.

Notes on Red listing:

Bibliography

Barbieri, R., Economou, A.N., Stoumboudi, M. Th. & Economidis, P.S., 2002, Freshwater fishes of Peloponnese (Greece): distribution, ecology and threats., , Conservation of Freshwater Fishes: Options for the Future., Collares-Pereira, M.J., Cowx, I.G. & Coelho, M.M., , 55-64, Fishing News Book, Oxford, U.K.

Doadrio, I. & Carmona, J.A., 1998, Genetic divergence in Greek populations of the genus Leuciscus and its evolutionary and biogeographical implications., Journal of Fish Biology, , , 53, 591-613, ,

Bogutskaya, N.G., 2002, Petroleuciscus, a new genus for the Leuciscus borysthenicus species group (Teleostei: Cyprinidae)., Zoological Institute, St Petersburg., , , , , ,