Tarentola gomerensis Taxonomic Authority: Joger and Bisc Synonyms:  Order: Sauria Notes on taxonomy:  General Information Biome Geographic Range of species: This species is endemic to the island of L Islands (Spain). It is present from sea lev slope of the island and up to 1,100m asl of Conservation Measures:	✓ Terrestr a Gomera in el to 850m as	the Canary	☐ Fr	La Gor Gomer Gomer Perence Family eshwate Habita This sp plantat	on Names nera Gecko o Wall Gec a-Gecko uén Gome : Gek er t and Ecol ecies is fo ions and uis s lay repea	ocko ero konidae  Mari logy Informa und in rocky arban areas. It	tion: areas, stone walls	s, disturbed habitats, eas of forest. The s.
It is protected by international legislation	and in some	of protected				oe no major th	reats to this spec	ies.
areas.  Species population information: It is an abundant species.								
	Native - Presence	Native - Presence	Evtin	ıct Rei	ntroduced	Introduced	Vagrant	
<b>Country Distribution</b>	Confirmed	Possible	LX	ict itci	moduccu	miroduccu	vagrant	
Spain	<b>✓</b>							
FAO Marine Habitats  Major Lakes  Major Rivers	Native - Presence Confirmed	Native - Presence Possible	Extir	nct Re	introduced	Introduced		
Upper Level Habitat Preference	<u>es</u>	S	core	Lowe	r Level	<u> Habitat Pr</u>	<u>eferences</u>	Score
3.4 Shrubland - Temperate			1					
3.8 Shrubland - Mediterranean-type Sh		ition	1					
<ul> <li>Rocky areas (eg. inland cliffs, mour</li> <li>10.1 Coastline - Rocky Shores (includes</li> </ul>		re islands	1 1					
and sea cliffs)	, , , , , ,							
11.2 Artificial/Terrestrial - Pastureland 11.3 Artificial/Terrestrial - Plantations			1 1					
11.4 Artificial/Terrestrial - Rural Gardens			1					
11.5 Artificial/Terrestrial - Urban Areas			1					
Major throats				Cons	orvation	Moasuro	<u> </u>	
Major threats  Code Description of threat	Р	ast Present	Future			n Measure ntion measur		In place Needed
13 None		<b>✓ ✓</b>	<b>✓</b>	1 1.2 1.2.1 1.2.1.1 1.2.2		sed actions n nent nal level nation		

4.4.2	Establishment
-------	---------------

4.4.3 Management





**Utilisation of Species** 

Purpose/Type of Use Subsistence National International Other purpose:

Primary forms removed from the wild 100% >75% 51-75% 26-50% <25% Other forms removed from the wild:

Source of specimens in commercial trade 100% >75% 51-75% 26-50% <25% Other source of specimens:

Trend in wild offtake/harvest in relation to total wild population numbers over last five years:

Trend in offtake/harvest produced through domestication/cultivation over last five years:

CITES:

**Red Listing** 

**Red List Criteria:** 

Rationale for the Red List Assessment: Listed as Least Concern because, although its Extent of Occurrence is less than 5,000 km2, it is

common, occurs in habitats that are not significantly threatened, and does not appear to be in

decline.

Current Population Trend: Stable Date of Assessment: 12/17/2004

Assessor(s): Jose Antonio Mateo Miras, Valentin Pérez-Mellado

Notes on Red listing:

## **Bibliography**

Arnold, E.N., 2003, , , Reptiles and amphibians of Europe., , , 288 pp., Princeton University Press., Princeton and Oxford.

Pleguezuelos, J.M., Márquez, R. and Lizana, M., 2002, , , Atlas y Libro Rojo de los Anfibios y Reptiles de España., , , pp. 584, Dirección General de la Conservación de la naturaleza-Associación Herpetológica Española., Madrid.

Joger, U. and Bischoff, W., 1983, Zwei neue Taxa der Gattung Tarentola (Reptilia: Sauria: Gekkonidae) von den Kanarischen Inseln., Bonner Zoologische Beitraege, , , 34(1-3):, 459-468, ,

Carranza, S., Arnold, E.N., Mateo, J.A. and López-Jurado, L.F., 2000, Long-distance colonization and radiation in gekkonid lizards, Tarentola (Reptilia: Gekkonidae), revealed by mitochondrial DNA sequences., Proc. R. Soc. London B, , , 267:, 637-649, ,

Nogales M., López, M., Jiménez-Asensio, J., Larruga, J.M., Hernández, M. and González, P., 1998, Evolution and biogeography of the genus Tarentola (Sauria: Gekkonidae) in the Canary Islands, inferred from mitochondrial DNA sequences., J. Evol. Biol., , , 11:, 481-494, ,