Speleomantes ambrosii				Region:	10							
Taxonomic Authority: (Lanza, 1954)				_								
Synonyms:				Commo	n Names	:						
				Ambrosi	's Cave S	alamander	English					
				geotritor	ne di Amb	rosi	Italian					
				Spezia (Cave Sala	ımander	English					
Order: Caudata				Family:	Pletl	nodontidae						
Notes on taxonomy:				,								
General Information												
	Terrestrial		Fr	eshwater		Mari	ne					
Geographic Range of species:				Habitat	and Fcol	_						
This species is restricted to scattered localities (at least 12 localities					Habitat and Ecology Information: It is known from humid rocky outcrops, caves, crevices, and forested							
are known) in La Spezia Province, northwest Italy. The populations					areas in the vicinity of streams. Individuals may occasionally be found							
east of the Fiume river around Massa Carra				climbing in vegetation. The species reproduces through the direct development of a few terrestrial eggs.								
discovered subspecies, S.a. bianchii. It is fo from near sea level to around 2,300m asl.	und at aititudes	ranging	ļ	developi	neni oi a	iew terrestria	ai eggs.					
Conservation Measures:				Threats	:							
Prior to being considered a separate species	s S. ambrosii w	as listed	on	There ar	e no thre	ats to this spe	ecies other than a g	eneral localised	d loss			
Appendix II of the Berne Convention under S				of suitab	le habitat	. However, th	nese threats are lim					
on Annex IV of the EU Natural Habitats Dire Parco Nazionale delle Cinque Terre and the	•			believed	to be sig	nificantly thre	eatened.					
Apuane. The species has a very restricted ra			•									
conservation attention.	9											
Species population information:												
It is generally common within its limited rang	e, with no evide	ence of										
decline.												
1	Native - Na	tive -										
_		sence	Extin	nct Rein	troduced	Introduced	Vagrant					
Country Distribution C		ssible		_								
Italy	✓											
		ative -	Fxtir	nct Rein	itroduced	Introduced						
FAO Marine Habitats	Confirmed Po	ssible										
<u>Major Lakes</u>												
Major Rivers												
Major Kivers												
Hanna Land Halling Backson		0-				U-1:4-4 D			0			
Upper Level Habitat Preferences		50	core				<u>references</u>		Score			
1.4 Forest - Temperate			1		oadleaf Fo				1			
6 Rocky areas (eg. inland cliffs, mountai			1			leaf Wood			1			
7.1 Caves and Subterranean Habitats (not	. ,		1		ind Field				1			
7.2 Caves and Subterranean Habitats (non Subterranean Habitats	n-aquatic) - Oth	er	1	Mixed F					1			
				Small Le	eaf Mixed	Woods			1			
Major threats				Conse	ervation	Measure	·s					
Code Description of threat	Past P	resent F	uture			tion measur		In place N	Needec			
Habitat Loss/Degradation (human ir		✓	✓			sed actions		✓				
1.4 Infrastructure development		✓	✓		_egislatio			<u>~</u>				
1.4.2 Human settlement	<u>~</u>	∨	✓		Developm			∨				
1.4.2 Tourism/recreation	✓ ✓ ✓	∨	V		nternation			✓	=			
9 Intrinsic factors	<u></u>	V	V		National le							
								✓				
,	neration \checkmark	✓	V		mplemen			V				
9.9 Restricted range	<u> </u>	•	✓		nternation			V				
					National le			✓				
					Research		- d		✓			
					•	n numbers ar	na range		✓			
						nd Ecology			✓			
				3.5	Threats				✓			

3.8	Conservation measures		✓
3.9	Trends/Monitoring		✓
4	Habitat and site-based actions	✓	✓
4.1	Maintenance/Conservation	✓	✓
4.2	Restoration		~
4.4	Protected areas	✓	~
4.4.1	Identification of new protected areas		~
4.4.2	Establishment	✓	
4.4.3	Management	~	~

Utilisation of Species

Purpose/Type of Use Subsistence National International Other purpose:

Primary forms removed from the wild 100% >75% 51-75% 26-50% <25% Other forms removed from the wild:

Source of specimens in commercial trade 100% >75% 51-75% 26-50% <25% Other source of specimens:

Trend in wild offtake/harvest in relation to total wild population numbers over last five years:

Trend in offtake/harvest produced through domestication/cultivation over last five years:

CITES: Not listed

Red Listing

Red List Assessment: Near Threatened (NT) Possibly Extinct

Red List Criteria:

Rationale for the Red List Assessment: Listed as Near Threatened since although its Extent of Occurrence is probably less than 5,000 km2

and its habitat might be declining, thus making the species close to qualifying for Vulnerable, it probably occurs in more than ten locations, and its range is probably not severely fragmented.

Current Population Trend: Stable Date of Assessment: 12/17/2004

Assessor(s): Franco Andreone, Paul Edgar, Claudia Corti

Notes on Red listing:

Bibliography

Arnold, E.N., 2003, , , Reptiles and amphibians of Europe, , , 288, Princeton University Press,

Nascetti, G., Cimmaruta, R., Lanza, B. and Bullini, L., 1996, Molecular taxonomy of European Plethodontid Salamanders (Genus Hydromantes), Journal of Herpetology, , , 30(2), 161-183, ,

Thorn, R., 1968, Les Salamandres d'Europe, d'Asia, et d'Afrique du Nord, , , , , 376 pp, Éditions Paul Lechevalier, Paris

Salvidio, S., Lattes, A., Tavano, M., Melodia, F. and Pastorino, M.V., 1994, Ecology of a Speleomantes amborsii population inhabiting an artificial tunnel, Amphibia-Reptilia, , , 15, 35-45, ,

Lanza, B. and Corti, C., 1993, Erpetofauna Italiana 'Aquisizioni' ed estinzioni nel corso del Novecento, Suppl. Ric. Biol. Selvaggina, , , 21, 5-49, ,

, 1997, , , Atlas of Amphibians and Reptiles in Europe, Gasc, J.-P., , 494, Societas Europea Herpetologica & Museum National d'Histoire Naturelle, Paris

Salvidio, S., 1993, Life history of the European plethodontid salamander Speleomantes ambrosii (Amphibia, Caudata), Herpetological Journal, , , 3, 55-59, ,

Lanza, B. and Vanni, S., 1981, On the biogeography of plethodontid salamanders (Amphibia, Caudata), with a description of a new genus, Monitore Zoologico Italiano N.S., , , 15, 117-121, ,

Lanza, B., 1986, I Rettili e gli Anfibi, , L'ambiente naturale in Sardegna (Elementi di base per la conoscenza e la gestione del territorio), Camarda, I., Falchi, S. and Nudda, G., , 557 pp, Carlo Delfino, Sassari

Anon., 1997, Opinion 1866. Hydromantes Gistel, 1848 (Amphibia, Caudata): Spelerpes platycephalus Camp, 1916 designated as the type species, Bulletin of Zoological Nomenclature, , , 54, 72-74, ,

Griffiths, R.A., 1996, , , Newts and Salamanders of Europe, , , 188 pp, Poyser Natural History, London

Noellert, A. and Noellert, C., 1992, Die Aphibien Europas, , , , , 382p, Franckh-Kosmos Verlags-GmbH & co, Stuttgart

Böhme, W, Grossenbacher, K. and Thiesmeier, B., 1999, , Handbuch der Reptilien und Amphibien Europas, band 4/I:Schwanzlurche (Urodela)., , , , , Aula-Verlag, Wiesbaden, Germany.

Cimmaruta, R., Forti, G., Nascetti, G. and Bullini, L., 1999, Spatial distribution and competition in two parapatric sibling species of European plethodontid salamanders., Ethology, Ecology and Evolution, , , 11, 383-398., ,

Lanza, B., Cimmaruta, R., Forti, G. and Nascetti, G., 2005, Bianchi's cave salamander, Speleomantes ambrosii bianchii subsp. n. (Amphibia, Caudata Plethodontidae)., Doriana, , , , , ,

Cimmaruta, R., Lanza, B., Forti, G., Bullini L. and Nascetti, G., 2002, Il Geotritone di Bianchi, nuova sottospecie dello Speleomantes ambrosii della provincia di Massa Carrara (Amphibia, Plethodontidae)., , Primo Convegno Nazionale "Biologia dei geotritoni europei genere Speleomantes"., Salvidio, S. and Pastorino, M.V., , 11, Università de Genova, Genova