Triturus vulgaris			R	egion: 10					
Taxonomic Authority: (Linnaeus, 175	8)								
Synonyms:			C	Common Names	:				
			C	Obyknovennyi Trit	ton	Russia	n		
			S	Smooth Newt		English	1		
			Т	raszka Zwyczajn	а	Polish			
			tr	itone punteggiate	0	Italian			
Order: Caudata			F	amily: Sala	mandridae				
Notes on taxonomy: Further taxonor	nic studies a	re required o	n this sp	ecies.					
General Information									
Biome	✓ Terrestr	ial	✓ Fres	shwater	☐ Mari	ne			
Geographic Range of species:	V Terresu	iai	_	labitat and Ecol					
This species is widespread through most	of Furone (w	ith the excen					oitats, including deciduous,		
of the Iberian Peninsula from which it is a	bsent). It ran	ges from Irela	and c				d woodlands. This is an		
and Great Britain, through west and centr							, bushlands, parks, fruit		
south to Italy, the Balkans and northern a through much of the steppes of Ukraine a				gardens, many damp habitats and rural and urban areas. The species breeds in still and slow moving shallow waters and irrigation ditches;					
isolated population in the Caucasus. The				females lay 200 to 300 eggs. It is often recorded from modified habitats.					
from sea level up to 2,150m asl (Austria).									
Conservation Measures:				Threats:					
It is presumed to occur in numerous prote number of Red Data Books and Lists and				There are no major threats to this species. Localised threats to the species include general drainage, pollution and eutrophication of					
of the Berne Convention and protected by						breeding pools and the			
of its range. In parts of this species range	•	•	ir	ntroduction of pre	datory fishes	. In the forme	er Soviet Union there is		
reduce road kill have been established.			mass commercial collecting of this species for the pet trade. Within Turkey, construction and building along the Black Sea coastline may be						
				impacting northern Turkish populations.					
Species population information:									
It is very common or numerous over much	n of its range	<u>-</u>							
	Native -	Native -					,		
	Presence	Presence	Extinct	Reintroduced	Introduced	Vagrant			
Country Distribution	Confirmed	Possible							
Albania	✓								
Armenia	✓								
Austria	✓								
Azerbaijan	✓								
Belarus	✓								
Belgium Bosnia and Herzegovina	✓								
Bulgaria									

Country Distribution	Presence Confirmed	Presence Possible	Extinct	Reintroduced	Introduced	Vagrant
Albania	✓					
Armenia	✓					
Austria	✓					
Azerbaijan	✓					
Belarus	V					
Belgium	✓					
Bosnia and Herzegovina	✓					
Bulgaria	✓					
Croatia	✓					
Czech Republic	✓					
Denmark	✓					
Estonia	✓					
Finland	✓					
France	✓					
Georgia	✓					
Germany	✓					
Greece	✓					
Hungary	✓					
Ireland	✓					
Italy	✓					
Kazakhstan	✓					
Latvia	✓					
Luxembourg	✓					
Macedonia, the former Yugoslav Republ						
Moldova	✓					
Netherlands	✓					
Norway	✓					
Poland	<u>~</u>					

Romania	✓			
Russian Federation	✓			
Slovakia	✓			
Slovenia	✓			
Sweden	✓			
Switzerland	✓			
Turkey	✓			
Ukraine	✓			
United Kingdom	✓			
Serbia and Montenegro	✓			

Native -Native -

Presence Presence Extinct Reintroduced Introduced Confirmed Possible

FAO Marine Habitats

Major Lakes

Major Rivers

Uppe	er Level Habitat Preferences		Score	Lower Level Habitat Preferences	Score
	Forest - Boreal		1	Broadleaf Forest	1
1.2 F	.2 Forest - Subarctic			Conifer Boreal Forest	2
1.4 F	1.4 Forest - Temperate			Conifer Forest	1
3.4	Shrubland - Temperate		1	Cool Broadleaf Forest	1
3.8	Shrubland - Mediterranean-type Shrubby Veget	ation	1	Cool Conifer Forest	2
	Netlands (inland) - Permanent Rivers/Streams/includes waterfalls)	Creeks	1	Cool Crops and Towns Cool Fields and Woods	2
•	Wetlands (inland) - Bogs, Marshes, Swamps, F	ens, Peatla	ands 1	Cool Forest and Field	1
5.5 V	Wetlands (inland) - Permanent Freshwater Lake	es (over 8h	na) 2	Cool Mixed Forest	1
	Netlands (inland) - Seasonal/Intermittent Fresh over 8ha)	water Lake	es 2	Crops and Towns	2
,	Wetlands (inland) - Permanent Freshwater Mars	shes/Pools	s 1	Crops, Grass, Shrubs	1
	under 8ha)			Deciduous and Mixed Boreal Forest	2
	Wetlands (inland) - Seasonal/Intermittent Fresh	water	1	Deciduous Broadleaf Wood	1
	Marshes/Pools (under 8ha)			Deciduous Coniferous Forest	2
	Wetlands (inland) - Permanent Inland Deltas		1	Deciduous Tree Crops	1
	Artificial/Terrestrial - Arable Land		1	Evergreen Forest and Fields	1
	Artificial/Terrestrial - Pastureland		1	Evergreen Tree Crops	1
	Artificial/Terrestrial - Plantations		1	Fields and Woody Savanna	2
11.4 Artificial/Terrestrial - Rural Gardens			1	Forest and Field	1
11.5 Artificial/Terrestrial - Urban Areas			2	Grass Crops	2
12.2 Artificial/Aquatic - Ponds (below 8ha)		1	Marsh Wetland	1	
12.3 Artificial/Aquatic - Aquaculture Ponds			2	Mire, Bog, Fen	1
12.5 A	Artificial/Aquatic - Excavations (open)		2	Mixed Forest	1
12.7 A	Artificial/Aquatic - Irrigated Land (includes irriga	tion chann	iels) 2	Savanna (Woods)	3
12.9 Artificial/Aquatic - Canals and Drainage Channels, Ditches		s 1	Small Leaf Mixed Woods	2	
13 l	ntroduced vegetation		2	Urban	2
				Woody Savanna	3
<u>Majo</u>	or threats			Conservation Measures	
Code	Description of threat	Past Prese	ent Future	Code Conservation measures	In place Needed
1	Habitat Loss/Degradation (human induced)	✓		1 Policy-based actions	
1.3	Extraction	✓		1.2 Legislation	V
1.3.3	Wood	✓		1.2.1 Development	
1.3.6	Groundwater extraction	<u> </u>		1.2.1.1 International level	
2	Invasive alien species (directly affecting the species)	<u></u>		1.2.1.2 National level 1.2.1.3 Sub-national level	Z
2.2	Predators	✓			
6	Pollution (affecting habitat and/or species)	✓		1.2.2 Implementation 1.2.2.1 International level	
6.1	Atmospheric pollution	<u> </u>	'	1.2.2.2 National level	

6.1.1 Global warming/oceanic warming	✓	>	2 2 3 3 3 3 3 3 3 4 4 4 4 4 4 4 5 5 5 5 5 5	2 2.2 3 3.1 3.2 3.3 3.4 3.5 3.6 3.8 3.9 4.4.1 4.4.1 4.4.2 4.4.3 5.3 5.3	Awarenes Research Taxonom Populatio Biology an Habitat st Threats Uses and Conserva Trends/M Habitat an Maintenan Protected	cation and actions are as ion of new ment ple use managements.	evels sures sed actions ervation w protected areas		
<u>Utilisation of Species</u> Purpose/Type of Use	Subs	istence	. Na	tional	Interna	itional	Other purpose:		
13. Pets/display animals, horticulture				✓	•	•			
Primary forms removed from the wild 1. Whole animal/plant	100% ✓	>75% 	51-7 <u>:</u>	5%	26-50%	<25% 	Other forms removed from t	the wild:	
Source of specimens in commercial trade Wild	100% ✓	>75% 	51-7 	75%	26-50%	<25% 	Other source of specimens:		
Trend in wild offtake/harvest in relation to tot	al wild pop	oulation	numbe	ers ov	er last five	years:	Unknown		
Trend in offtake/harvest produced through do CITES: Not listed	omesticatio	on/culti	vation o	ver la	st five yea	ars:	Unknown		
pre		je popul	ation, ar	ew of i		tribution,	tolerance of a broad range of h be declining fast enough to qu		
Current Population Trend: Stable Assessor(s): Jan Willem Arntzen, Sergius Ku	Current Population Trend: Stable Date of Assessment: 12/17/2004 Assessor(s): Jan Willem Arntzen, Sergius Kuzmin, Trevor Beebee, Theodore Papenfuss, Max Sparreboom, Ismail Ugurtas, Steven Anderson, Notes on Red listing: A number of restricted-range subspecies (such as T.v. lantzi and T.v. ampelensis) probably qualify for listing in								
Bibliography , 1995, , , Amphibian Populations in the Common Pikulik, M.M., , , Pensoft, Moscow	nwealth of	ndepen	dent Sta	ates: C	Current Sta	tus and D	Declines, Kuzmin, S.L. Dodd Jr,	C.K. and	

Puky, M. et al., 2003, , , Preliminary herpetological atlas of Hungary, , , pp. 86, Varangy Akciócsoport Egyesület, Budapest

Arnold, E.N., 2003, , , Reptiles and amphibians of Europe, , , 288, Princeton University Press,

Vogrin, M., 2002, Amphibians, , Nature in municipality Kidricevo, Vogrin, M., , 99-106, Municipality Kidricevo,

Tarkhnishvili, D.N. and Gokhelashvili, R.K., 1999, The amphibians of the Caucasus, Advances in Amphibian Research in the Former Soviet Union, , , 4, 1-229, ,

Puky, M., 2000, A kétéltûek védelme Magyarországon (Conservation of amphibians in Hungary), , Gerinces állatfajok védelme (Conservation of vertebrate species), Faragó, S., , 143-158, Nyugat-Magyarországi Egyetem Erdőmérnöki Kar, Sopron

Kuzmin, S.L., 1995, , , Die Amphibien Russlands und Angrenzender Gebiete, , , , Westarp – Spektrum, Magdeburg - Heidelberg

Pestov, M. and Anufriev, V., 2001, The Frog Princess and Other Projects, FrogLog, , , 46, , ,

Thorn, R., 1968, Les Salamandres d'Europe, d'Asia, et d'Afrique du Nord, , , , , 376 pp, Éditions Paul Lechevalier, Paris

Dely, G., 1967, , , Kétéltűek-Amphibia: Magyarország Állatvilága, Faunae Hungariae, , , , Ákadémiai Kiadó, Budapest

Mlynarski, M., 1966, Plazy I Gady Polski, Panstwowe Zaklady Wydawnictw Szkolnych, Warszawa, , , 75, , ,

Smit, G., 1998, DAPTF-Netherlands Report, FrogLog, , , 28, , ,

Garanin, V.I., 2000, The distribution of amphibians in the Volga-Kama region, , Advances in Amphibian Research in the former Soviet Union, , 5, 79-132. .

Kuzmin, S.L., 1999, , , The Amphibians of the Former Soviet Union, , , , Pensoft, Sofia-Moscow

Arnold, H.R., 1995, Atlas of amphibians and reptiles in Britain, ITE research publication, , , 10, 40, , London, UK

Grossenbacher, K., 1994, Rote Liste der gefährdeten Amphibien der Schweiz, , Rote Liste der gefährdeten Tierarten in der Schweiz, BUWAL, , 33-34, BUWAL (Bundesamt für Umwelt, Wald und Landschaft), Bern

Kuzmin, S.L., 1996, Threatened amphibians in the former Soviet Union: the current situation and the main threats, Oryx, , , 30, 24-30, ,

, 1997, , , Atlas of Amphibians and Reptiles in Europe, Gasc, J.-P., , 494, Societas Europea Herpetologica & Museum National d'Histoire Naturelle. Paris

Raxworthy, C.J., 1990, A review of the smooth newt (Triturus vulgaris) subspecies, including an identification key, Herpetological Journal, , , 1, 481-492, ,

Vogrin, N., 1997, The Status of Amphibians in Slovenia, FrogLog, , , 20, , ,

Puky, M., 2003, Az újraárasztott Nyirkai Hany - Keleti Mórrétek (Hanság) herpetofaunája (Occurrence of amphibians and reptiles in the Nyirkai Hany Keleti Mórrétek wetland restoration area, Hanság, Hungary in the first year following inundation), Folia Historico Naturalia Musei Matraensis, , , 27, 341-347, ,

Ildos, A.S. and Ancona, N., 1994, Analysis of amphibian habitat preferences in a farmland area (Po plain, northern Italy), Amphibia-Reptilia, , , 15(3), 307-316, ,

Puky, M., 2003, Amphibian mitigation measures in Central-Europe, , Proceedings of the International Conference on Ecology and Transportation, 26-31 August, 2003, Lake Placid, New York, USA, Irwin, L.C., Garrett, P. and McDermott, K.P., , 413-429, Center for Transportation and the Environment, North Carolina State University, USA,

Kovács, T. and Papp, M., 2002, Breeding pond survey in Hungary: and example of sucessful cooperation, FrogLog, , , 50, , ,

Baran, I. and Atatür, M.K., 1998, , , Turkish herpetofauna (amphibians and reptiles), , , 214 pp, Republic of Turkey Ministry of Environment, Ankara

Arano, B., Llorente, G.A., Montori, A., Buckley, D. and Herrero, P., 1998, Diversification in north-west African water frogs: molecular and morphological evidence, Herpetological Journal, , , 8(1), 57-64, ,

Fog, K., 1995, Amphibian conservation in Denmark, FrogLog, , , 13, , ,

Pellarini, P. and Lapini, L., 2000, Differenze etologiche e morfologiche tre Triturus vulgaris vulgaris (Linnaeus, 1758) e Triturus vulgaris meridionalis (Boulenger, 1882), , , Giacoma, C. and Atti, I., , , Congresso Nazionale della Societas Herpetologica Italica (Torino, 1996). Mus. reg. Sci. nat. Torino,

Demirsoy, A., 1996, , , Tükiye Omurgalilari, Sürüngenler, , , 205 pp, Meteksen, Ankara

Olgun, K., Baran, I. and Tok, C.V., 1999, The taxonomic status of Triturus vulgaris (Linnaeus, 1758) populations in Western Anatolia, Turkey, Turkish Journal of Zoology, , , 23, 133-140, ,

Vogrin, M., 2001, Sexual dimorphism in Triturus vulgaris meridionalis from northern Istria (Slovenia), Acta Zoologica Lituanica, , , 11, 25-28, ,

Grossenbacher, K., 1988, Verbreitungsatlas der Amphibien der Schweiz, Documenta faunistica helvetiae, , , 7, 1-207, ,

Sotiropoulos, K., Legakis, A. and Polymeni, R.-M., 1995, A review of the knowledge on the distribution of the genus Triturus (Rafinesque, 1815) in Greece, Herpetozoa, , , 8(1/2), 25-34, ,

Griffiths, R.A., 1996, , , Newts and Salamanders of Europe, , , 188 pp, Poyser Natural History, London

Watson, W., 1999, Amphibians and Crassula helmsii, FrogLog, , , 31, , ,

Bannikov, A.G., Darevsky, I.S., Ishchenko, V.G., Rustamov, A.K. and Szczerbak, N.N., 1977, , , Opredelitel Zemnovodnykh i Presmykayushchikhsya Fauny SSSR [Guide to Amphibians and Reptiles of the USSR Fauna], , , , Prosvechshenie, Moscow Kovács, T., 2002, Monitoring of amphibians and reptiles along the Drava River, FrogLog. , , 52, . .

Anon., 1993, United Kingdom National Survey, FrogLog, , , 6, 2, ,

Böhme, W, Grossenbacher, K. and Thiesmeier, B., 1999, , Handbuch der Reptilien und Amphibien Europas, band 4/I:Schwanzlurche (Urodela)., , , , , Aula-Verlag, Wiesbaden, Germany.